

According to Regulation EC No 1907/2006 - REACH and Regulation EC No 1272/2008 - CLP

# **REPSOL MOTO COOLANT & ANTIFREEZE (50%)**

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Commercial name REPSOL MOTO COOLANT & ANTIFREEZE (50%)

 Chemical name
 N/A

 Synonyms
 N/A

 CAS
 N/A

 EC (EINECS)
 N/A

Index No (annex VI

Regulation EC No N/A

1272/2008)

Registration Number N/A
Authoritation Number N/A
Material Code RP714W

1.2 Relevant identified uses of the substance or mixture and uses advised against

Antifreeze-coolant.

1.3 Details of the supplier of the safety data sheet

Company REPSOL LUBRICANTES Y ESPECIALIDADES, S.A.

Address Méndez Álvaro, 44 28045 - MADRID, Spain

**Phone** +34 917538000 /+34 917538100

Fax +34 902303145

e-mail address FDSRLESA@repsol.com

1.4 Emergency telephone number

Carechem 24: +44 (0) 1235 239 670 Carechem 24: +1 215 207 0061 Carechem 24: 001866 928 0789

### **SECTION 2. Hazards identification**

2.1 Classification of the substance or mixture	2.2 Label elements
CLASSIFICATION Reg.(CE)1272/2008(CLP)	LABELLING

Page 1 of 11 Rev. 3.2 Date 19.10.2016



Specific target organ toxicity: STOT RE 2	Pictograms GHS08			
	Signal word	Warning		
	Hazard statements	H373: May cause damage to organs through prolonged or repeated exposure.		
	supplemental information	N/A		
	Precautionary statements	P260: Do not breathe dust/fume/gas/mist/vapours/spray. P314: Get medical advice/attention if you feel unwell. P501: Dispose of the contents/receptacle into the container supplied for that purpose in accordance with current guidelines.		

# 2.3 Supplementary elements which must be displayed on the labels

N/A

# 2.4 Special packaging requirements

Containers which must be provided with a child safety seal:

Not applicable

Tactile hazzard warning:

Applicable.

### 2.5 Other hazards

Results of the assessment of PBT and vPvB in the product, in accordance with the criteria set out in Annex XIII of REACH, can be found in Section 12.5 of this MSDS.

Please refer to Sections 5, 6 and 7 of this MSDS for information on other dangers, different from classification dangers but which may contribute to the overall hazards of the product.

# **SECTION 3. Composition/information on ingredients**

The classification and labelling of the product have been performed in accordance with the information contained in the MSDS of supplier and supplementary information from tests performed by the same supplier provided in a report dated 04/05/2015. Ethylene glycol diluted in water.

Dangerous components Reg. (CE) 1272/2008 (CLP)	Concentration (%)	Hazard statements
--	-------------------	-------------------

Page 2 of 11 Rev. 3.2 Date 19.10.2016



Monoetylenglykol CAS: 107-21-1 EC (EINECS): 203-473-3 Registration Number: 01-2119456816-28-XXXX	50,9	H302, H373
Sodium benzoate CAS: 532-32-1 EC (EINECS): 208-534-8 Registration Number: 01-2119460683-35-XXXX	2,6	H319
Sodium borate pentahydrate CAS: 12179-04-3 EC (EINECS): 215-540-4 Registration Number: 01-2119490790-32-XXXX	0,5	H360FD

### **SECTION 4. First aid measures**

# 4.1. Description of first aid measures

Inhalation: Move the person to fresh air.

Seek medical care.

Ingestion/Aspiration: If the product is swallowed and the affected person is conscious, induce

vomiting.

Seek medical care.

Contact skin: In case of contact with the product, wash skin area with plenty of hot water and

Seek medical care.

Contact eyes: Hold eyelids open and flush with large amounts of water for 15 min.

Seek medical care.

# 4.2. Most important symptoms and effects, both acute and delayed

**Inhalation:** Exposures to product vapors may cause nose and throat irritation, and respiratory tract irritation.

Ingestion/Aspiration: Harmful if swallowed.

Swallowing may cause nausea, vomiting, central nervous system depression, loss of consciousness and acidosis.

Long-term effects may include liver and kidney damage.

Page 3 of 11 Rev. 3.2 Date 19.10.2016



Contact skin: Contact with skin may cause irritation if prolonged or repeated.

**Contact eyes:** Accidental eye contact with concentrated ethylene glycol results in swelling of the eye, cloudy vision and slow response to light.

# **4.3.** Indication of any immediate medical attention and special treatment needed Seek medical care.

### **SECTION 5. Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media: Water spray, CO2, foam and dry chemical powder.

**Unsuitable extinguishing media:** Water applied directly in jet stream may disperse the product.

### 5.2. Special hazards arising from the substance or mixture

Combustion products: CO2, H2O and CO (in the absence of oxygen).

**Special measures:** Move container from fire area if it can be done without risk. Cool flame-exposed containers with water. Water spray applied to surface leads to foam formation which helps to extinguish the fire. Consult and follow safety procedures.

**Special hazards:** The product should be pre-heated for ignition to occur. The product may release hazardous fumes in a fire.

### 5.3. Advice for firefighters:

Suit and gloves resistant to heat. Self-contained breathing apparatus in case of high concentrations of fumes or thick smoke.

### **SECTION 6. Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Keep unnecessary people away.

Avoid prolonged contact with liquid product.

Personal protection: Suitable protective clothing.

Waterproof gloves and safety glasses.

Self-contained breathing apparatus if necessary.

Page 4 of 11 Rev. 3.2 Date 19.10.2016



#### 6.2. Environmental precautions

Isolate and remove discharged material.

Keep material away from water sources.

Do not allow material to reach drains and sewers.

### 6.3. Methods and material for containment and cleaning up

Small spills: Collect with sand or other non-combustible absorbent material and place into containers for later disposal.

Large spills: Dike far ahead of liquid spillage and using vacuum equipment, pump into containers for later disposal.

### 6.4. Reference to other sections

Section 8 contains more detailed advice on personal protective equipment and section 13 on waste disposal.

### **SECTION 7. Handling and storage**

### 7.1. Precautions for safe handling

**General precautions:** Wear protective clothing to avoid prolonged contact with the product.

Do not smoke, drink, or eat during handling.

Good personal hygiene procedures must be observed.

Do not handle damaged containers unless wearing appropriate protective equipment to avoid direct contact.

**Specific conditions:** Good local exhaust ventilation system.

### 7.2. Conditions for safe storage, including any incompatibilities

Temperature and decomposition products: The product is stable under normal conditions.

Dangerous reactions: N/A

**Storage conditions:** Store at room temperature in cool and well-ventilated places.

Properly sealed and labeled aluminum or steel containers.

**Incompatible materials:** Strong oxidizing agents, nitric acid, sulfuric acid, chlorosulphonic acid.

### 7.3. Specific end use(s)

See section 1 or exposure scenario



### **SECTION 8. Exposure controls/personal protection**

### 8.1 Control parameters

Ethylene glycol (CAS: 107-21-1):

INSHT (Spain):VLA-ED: 20 ppm (52 mg/m<sup>3</sup>) / VLA-EC: 40 ppm (104 mg/m<sup>3</sup>).

ACGIH (USA): TLV/STEL: 100 mg/m3

Lijst Grenswaarden / Valeurs Limites(Belgium): TWA: 20 ppm (52 mg/m³) / STEL: 40 ppm

(104 mg/m<sup>3</sup>).

Arbejdstilsynet (Denmark): TWA: 10 mg/m³ / STEL: 20 mg/m³.

TRGS900 AGW (Germany): TWA: 10 ppm (26 mg/m<sup>3</sup>) / STEL: 20 ppm (52 mg/m<sup>3</sup>).

EüM-SzCsM (Hungary):TWA: 52 mg/m³ / STEL: 104 mg/m³.

NAOSH (Ireland): TWA: 10 mg/m3.

LV Nat. Standardisation and Meterological Centre (Latvia): TWA: 20 ppm (52 mg/m³) /

STEL: 40 ppm (104 mg/m3).

Rozporządzenie Ministra Pracy i Polityki Społecznej (Poland): TWA: 15 mg/m³ / STEL: 50

mg/m³.

AFS 2005:17 (Sweden): NGV: 10 ppm (25 mg/m³) / KTV: 20 ppm (50 mg/m³).

EH40/2005 WELs (UK): OEL-TWA: 10 mg/m³.

Sodium borate pentahydrate; (CAS: 12179-04-3):
INSHT (Spain):VLA-ED: 2 mg/m³ / VLA-EC: 6 mg/m³.

ACGIH (USA): T LV-TWA: 2 mg/m³ / TLV-STEL: 6 mg/m³.

Lijst Grenswaarden / Valeurs Limites (Belgium): TWA: 2 mg/m³ / STEL: 6 mg/m³.

Arbejdstilsynet (Denmark): TWA: 1 mg/m³ / STEL: 2 mg/m³.

INRS (France): TWA: 1 mg/m3.

TRGS900 AGW (Germany): TWA: 5 mg/m<sup>3</sup> / STEL: 5 mg/m<sup>3</sup>.

NAOSH (Ireland): TWA: 1 mg/m³. NIOSH (USA): REL-TWA: 1 mg/m³

EH40/2005 WELs (United Kingdom): OEL-TWA: 1 mg/m<sup>3</sup>.

DNEL N/A

PNEC N/A

### 8.2 Exposure controls

Avoid prolonged contact with liquid product.

# Individual protection measures, such as personal protective equipment

**Respiratory protection:** In the presence of high vapor concentrations, use respiratory protective mask.

**Skin protection:** Gloves, appropriate footwear and clothing.

**Eye/face protection:** Safety goggles or face-shields to prevent splashes.

Other protective equipment: Showers and eye-washers in the work area.

Specific hygiene measures: Hot showers should be used. Use soap and no other solvents.

Page 6 of 11 Rev. 3.2 Date 19.10.2016



### Medical Conditions Aggravated by Exposure: N/A

### **Environmental exposure controls:**

Product should not reach the environment through wastewater or sewage. Measures to take in case of accidental release can be found in Section 6 of this MSDS.

### **SECTION 9. Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Appearance: Transparent liquid.

Odour: Odorless. Odour threshold: N/A

Colour: Blue. pH: 8,4

Melting point/freezing point: -37 °C (ASTM D-97)

Initial boiling point and boiling range: N/A

Flash point: N/A
Evaporation rate: N/A

Flammability (solid, gas): N/A

Upper/lower flammability or explosive limits: N/A

Vapour pressure: N/A Vapour density: N/A

Density: 1,076 g/cm³ Typical (20 °C)

Solubility(ies: N/A

Partition coefficient: n-octanol/water: N/A

Auto-ignition temperature: N/A Decomposition temperature: N/A

Viscosity: N/A

Explosive properties: N/A Oxidising properties: N/A

# 9.2 Other information

N/A

### **SECTION 10. Stability and reactivity**

10.1. Reactivity: N/A

- **10.2.** Chemical stability: Stable product at room temperature.
- **10.3. Possibility of hazardous reactions:** Strong oxidizing agents, nitric acid, sulfuric acid, chlorosulphonic acid.
- **10.4.** Conditions to avoid: High temperatures, moisture.

Page 7 of 11 Rev. 3.2 Date 19.10.2016



10.5. Incompatible materials: N/A

**10.6. Hazardous decomposition products:** Combustion may generate toxic carbon monoxide fumes.

### **SECTION 11. Toxicological information**

### 11.1. Information on toxicological effects

The provided toxicological information results from the application of Annexes VII to XI of Regulation 1907/2006 (REACH).

Acute toxicity: Harmful if swallowed.

Skin corrosion/irritation: N/A

Serious eye damage/irritation: N/A

Respiratory or skin sensitisation: N/A

Germ cell mutagenicity: N/A

Carcinogenicity: N/A

Product rating corresponds to the comparison of the results from the toxicological studies with the criteria set out in Regulation (EC) No 1272/2008 for CMR, categories 1A and 1B.

**Reproductive toxicity:** CAS: 107-21-1. Experimental studies in rats and mice suggest that ethylene glycol may induce birth defects when administered orally.

STOT-single exposure: N/A

**STOT-repeated exposure:** May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard: N/A

### **SECTION 12. Ecological information**

- **12.1. Toxicity:** The product is non-hazardous to aquatic species. LC50 >100 mg/l (96 hr, fish) LC50 >100 g/l/ (48h, Daphnia).
- **12.2.** Persistence and degradability: It is expected that the product is rapidly biodegraded.
- **12.3. Bioaccumulative potential:** Estimated bioconcentration factor is <1, therefore it does not accumulate in living organisms. The bioconcentration and adsorption in sediments are not significant.

Page 8 of 11 Rev. 3.2 Date 19.10.2016



- **12.4. Mobility in soil:** The product is water-soluble and due its octanol/water partition coefficient, is expected to have high mobility in soil. The bioconcentration and adsorption in sediments are not significant.
- **12.5. Results of PBT and vPvB assessment:** This mixture contains no substance considered to be PBT or vPvB.
- 12.6. Other adverse effects: N/A

# **SECTION 13. Disposal considerations**

### 13.1. Waste treatment methods

**Disposal:** Recycle material when possible. Incineration after addition of suitable fuel.

Handling: Containers properly labeled and closed.

**Provisions:** Establishments and companies which recover, dispose, store, transport or handle waste should comply with Dir. 2008/98/EC on waste, or other local, national or community provisions.

### **SECTION 14. Transport information**

14.1. UN number: N/A

14.2. UN proper shipping name:

N/A

14.3. Danger identification number: N/A

14.4. Packing group

ADR/RID: N/A

IATA-DGR: N/A

IMDG: N/A

14.5. Environmental hazards

ADR/RID: N/A

IATA-DGR: N/A

IMDG: Marine Pollutant.

14.6. Transport in bulk in accordance with appendix II of the Marpol agreement 73/78 and



### the IMSBC code

No category assigned for the IMSBC code.

### 14.7. Special precautions for user

Transport in properly sealed and labeled containers.

# **SECTION 15. Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

COMMISSION REGULATION (EU) No 453/2010 : REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS

Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

Regulation (EC) No 1272/2008 of the European Parliament and the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 concerning Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

European Agreement concerning the international carriage of dangerous goods by road (ADR).

Regulation on the international transport of dangerous goods on the railway. (RID)

International maritime code of dangerous goods. (IMDG)

International Air Transport Association (IATA) regulation pertaining to air shipment. International Bulk Chemical Code (IMSBC Code), MARPOL 73/78.

### **Commission Regulation Other hazards**

Ethylene glycol is listed in TSCA Chemical Inventory (EPA).

# 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

### **SECTION 16. Other information**

#### Glossary

CAS: Chemical Abstract Service

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists.

TLV: Threshold Limit Value
TWA: Time Weighted Average
STEL: Short-term Exposure Level
REL: Recommendable Exposure Limit
PEL: Permissible Exposure Limit

INSHT: Instituto Nacional de Seguridad e Higiene en el Trabajo.

VLA-ED: Environmental limit value - daily exposure VLA-EC: Limit environmental value - short exposure

DNEL/DMEL: Derived no-effect level / Derivation of minimal effects levels

PNEC: Predicted No Effect Concentration

LD50: Lethal Dose Medium



LC50: Lethal Concentration Medium EC50: Effective Concentration Medium IC50: Inhibitory Concentration Medium BOD: Biological Oxygen Demand.

NOAEL: No observable adverse effect level

NOEL: No observed effect level

NOAEC: No observed adverse effect concentration

NOEC: No observed effect concentration

N/A: Not applicable

|| : Changes from the last revision

### Data Bases consulted

EINECS: European Inventory of Existing Commercial Substances.

TSCA: Toxic Substances Control Act, US Environmental Protection Agency.

HSDB: US National Library of Medicine.

RTECS: US Dept. of Health & Human Services.

# Hazard Class-and-Category shown in the document

H302: Harmful if swallowed.

H319: Causes serious eye irritation. H360D: May damage the unborn child.

H360F: May damage fertility.

Purchasing companies have an obligation to ensure that their employees are properly trained on the safe handling and use of the product in accordance with the guidelines contained in this MSDS.

Furthermore, companies purchasing this product are required to inform their employees, and individuals who could manipulate or use it within their facilities, about all indications included in the MSDS, in particular those relating to the product's risks to the health and safety of people and to the environment.

The information given in this document has been compiled based on the best existing information sources, latest available knowledge and according to the current requirements on classification, packaging and labelling of hazardous substances. It does not imply the information is exhaustive or accurate in all cases. It is the user's responsibility to determine the validity of the information contained in this Material Safety Data Sheet to apply depending on the case.